

REDISCOVER THE  
  
**GREAT INDOORS**

Let's Take This Inside!



Introducing our New  
**AirAssure™ Indoor**  
Air Quality Monitor



## LET'S TAKE THIS INSIDE

When we're together in the same place, amazing things happen – collaboration, creativity, and innovation. Rising pollution levels and the global pandemic have us more conscious about the quality of our indoor air. As we prepare for more indoor gatherings in office buildings, conference centers, shopping malls, manufacturing plants and healthcare settings, it's important to understand the health of the air occupants are breathing in, to ultimately help get people back inside.





## COMPREHENSIVE IAQ MONITORING FOR BUILDING EFFICIENCY & OCCUPANT PRODUCTIVITY

Poor indoor air quality is linked to Sick Building Syndrome (SBS) and decreased productivity for building occupants. Monitoring certain IAQ parameters can provide insight on how healthy your building's indoor air quality is, in hopes of preventing SBS and other problems before they start. More pressure is being put on commercial buildings to increase IAQ monitoring and reporting activities:

### **LEED/WELL/BREEM Building Standards:**

IAQ monitoring can help facility managers expected to adhere to voluntary performance standards such as LEED, WELL and BREEM.

### **Guidance:**

As we continue to navigate through the global pandemic, occupational health and standard setting bodies (OSHA, ASHRAE and REHVA) are continually updating guidance on best practices for monitoring and maintaining optimal IAQ levels, protecting the health and safety of building occupants. Monitoring IAQ levels within your building can help you get an understanding of where key parameters are at within your building.

**TSI Incorporated, the global leader in performance measurement solutions, is proud to introduce the AirAssure™ Indoor Air Quality Monitor. With the AirAssure™ IAQ Monitor, you don't have to wonder about the state of your indoor air quality. This real-time, low-cost solution, monitors particulate matter (PM), traditional IAQ parameters, and up to six gases. View, analyze and share actionable data all within TSI's cloud solution.**

## IDEAL FOR:

- Government agencies and environmental organizations
- Healthcare, hospitals, assisted living campuses, and medical office buildings
- Industrial manufacturing, factories, power generation and petrochemical plants
- Hotels, conference centers, shopping malls, athletic/entertainment arenas
- Researchers looking to collect IAQ data
- Comparing outdoor monitors to IAQ monitors

# CONTINUOUSLY MONITOR IAQ PARAMETERS AND UP TO SIX GASES

With the AirAssure IAQ monitor, choose from two convenient models, or a combination of both, to fit your building's needs:



## Model 8144-6

Ideal if there is a need to monitor  $\text{SO}_2$ ,  $\text{O}_3$  and  $\text{NO}_2$  levels throughout your building.  $\text{O}_3$  monitoring is important for office buildings with a lot of copier machines, and  $\text{NO}_2$  monitoring is important for industrial facilities with a lot of welding fumes, or buildings with gas stoves and other unvented appliances.  $\text{SO}_2$  is important for monitoring air near busy roadways, as well as industrial manufacturing facilities.

## Model 8144-4

A four-gas monitor that can be used in hallways, maintenance rooms, and chemical storage areas. Because it measures formaldehyde, it is ideal for rooms with pressed wood building materials or furniture and other textiles or glue.

Depending on the layout of your building, it may be best to deploy a mix of the 4-gas and 6-gas AirAssure™ IAQ Monitors because pollution sources can vary in different areas of the building or from outdoor air migrating indoors.



## AirAssure IAQ Monitor Model 8144-6

### Tracks & Monitors For:

1. Ozone ( $O_3$ )
2. Nitrogen Dioxide ( $NO_2$ )
3. Sulfur Dioxide ( $SO_2$ )
4. Carbon Monoxide (CO)
5. Total Volatile Organic Compounds (tVOC)
6. Carbon Dioxide ( $CO_2$ )

### PLUS

1. Temperature/Relative Humidity
2. Particulate Matter (PM)
3. Barometric Pressure

## AirAssure IAQ Monitor Model 8144-4

### Tracks & Monitors For:

1. Formaldehyde
2. Carbon Monoxide (CO)
3. Total Volatile Organic Compounds (tVOC)
4. Carbon Dioxide ( $CO_2$ )


### PLUS

1. Temperature/Relative Humidity
2. Particulate Matter (PM)
3. Barometric Pressure



# MANAGE YOUR DATA ANYWHERE WITH TSI LINK™ SOLUTIONS

With TSI Link™ Solutions, data from your AirAssure™ IAQ Monitor is at your fingertips, guiding you in decision-making for the well-being of your building and occupants. By wirelessly connecting the AirAssure IAQ Monitor to TSI Link™ Solutions you can retrieve real-time data, be alerted of any changes in the air quality, and control your device from the office, classroom, or home.



## WITH THE TSI LINK™ SOLUTION, YOU CAN:

- **Customize your solution**, giving you flexibility in addressing your building's specific IAQ health risks
- **View, analyze and receive information** on making decisions to protect your staff and building occupants from IAQ-related health risks, all from the easy-to-use dashboard
- **Set up custom alerts with real-time data**, allowing you to address risks before they become a problem
- **Easily share data and collaborate** with other stakeholders on optimal air quality monitoring
- **Remotely manage and adjust** all your devices from the comfort of your office or home, for peace of mind
- **Keep your device data private or share publicly**, whether your goal is to inform decision makers and support budgetary discussions, or give transparency to your customers
- **Interpret your air quality** with an easy-to-use, world-recognized U.S. Environmental Protection Agency (EPA) Air Quality Index; categorizing your data into ranges that identify if your air quality as good, moderate, unhealthy, etc.


View the outdoor and indoor air quality in your area using the TSI Link™ Solution. Create your free account today!



## GET UP AND RUNNING QUICKLY

Help keep your building occupants informed about the indoor air quality of your building. The AirAssure™ IAQ monitor is easy to set up and start collecting data right away. These small, lightweight monitors easily mount to any wall in your facility in under ten minutes.





## BUILD A NETWORK OF IAQ MONITORS

For large spaces, ensure you're covering every square inch of your facility by appropriately placing AirAssure™ IAQ Monitors throughout the building.

Already monitoring IAQ within your building? With the AirAssure™ IAQ monitor, you can expand upon the parameters of what you're already monitoring. TSI Link™ Solutions provides real-time IAQ monitoring at a budget-friendly price point that allows you to deploy multiple sensors for increased spatial resolution.

TSI's AirAssure IAQ Monitor is an easy way to start monitoring indoor air quality with cloud-based sensor technology that informs in real time.

**For more information, visit [tsi.com/AirAssure](https://www.tsi.com/AirAssure)**

TSI and the TSI Logo are registered trademarks of TSI Incorporated in the United States and may be protected under other country's trademark registrations.



UNDERSTANDING, ACCELERATED

**TSI Incorporated** - Visit our website [www.tsi.com](https://www.tsi.com) for more information.

<b>USA</b>	<b>Tel:</b> +1 800 874 2811	<b>India</b>	<b>Tel:</b> +91 80 67877200
<b>UK</b>	<b>Tel:</b> +44 149 4 459200	<b>China</b>	<b>Tel:</b> +86 10 8219 7688
<b>France</b>	<b>Tel:</b> +33 1 41 19 21 99	<b>Singapore</b>	<b>Tel:</b> +65 6595 6388
<b>Germany</b>	<b>Tel:</b> +49 241 523030		