

High Pressure Kit

5300 Series



Quick Start Guide


P/N 6011694, Rev. C
June 2023



5300 Series High Pressure Kit (5300-HPK)

Components

Item	TSI Part #	Description	Qty.
1	5300-IF-HP	Inlet Filter—High Pressure	1
2	5300-375NPT	3/8 Inch NPT Tube Ends	2
3	N/A	1/2 Inch Barbed to 3/8 Inch NPT Fitting	1



Assembly

1. Remove collars and replace the existing tube ends with the two (2) supplied 3/8 inch NPT Tube Ends.



2. Screw the 1/2 to 3/8 inch NPT Fitting onto the inlet side of the Filter.



3. Connect outlet side of the Filter to inlet side of 3/8 inch NPT Tube End.



Knowledge Beyond Measure.

TSI Incorporated – Visit our website www.tsi.com for more information.

TSI and TSI logo are registered trademarks of TSI Incorporated in the United States and may be protected under other country's trademark registrations.

USA **Tel:** +1 800 680 1220
UK **Tel:** +44 149 4 459200
France **Tel:** +33 1 41 19 21 99
Germany **Tel:** +49 241 523030

India **Tel:** +91 80 67877200
China **Tel:** +86 10 8219 7688
Singapore **Tel:** +65 6595 6388

P/N 6011694 Rev C

©2023 TSI Incorporated

Printed in U.S.A.

