


TSI mass flowmeters are ideally suited for measuring air and fuel gases within fuel cell systems. For metering the input to a gas reformer or air to the fuel cell stack, TSI flowmeters provide fast, accurate feedback to a pump or valve control circuit for precise gas delivery. Real-time monitoring of gas flows is achieved through either an analog 4-20 mA current signal or RS485 digital interface. The low-pressure drop feature minimizes back-pressure on the pump which ultimately reduces the pump size requirements. TSI flow sensors are designed with rugged die-cast aluminum housings and incorporate a hermetically sealed cover to prevent moisture from contacting the electronics.



Feature

- Low Pressure Drop
- Accurate flow measurement
- UL Recognized for fuel gas delivery
- Fully temperature compensated
- Light-weight, rugged, and sealed housing

Benefit

- Minimizes pump power requirements
- No calibration required by the end-user
- Safe for use in measuring methane and propane
- Accurate over a wide range of temperatures
- Highly reliable in demanding environments



TSI Incorporated—500 Cardigan Road, Shoreview, MN 55126 U.S.A

USA	Tel: +1 800 874 2811	E-mail: info@tsi.com	Website: www.tsi.com
UK	Tel: +44 149 4 459200	E-mail: tsiuk@tsi.com	Website: www.tsiinc.co.uk
France	Tel: +33 491 11 87 64	E-mail: tsifrance@tsi.com	Website: www.tsiinc.fr
Germany	Tel: +49 241 523030	E-mail: tsigmbh@tsi.com	Website: www.tsiinc.de
India	Tel: +91 80 41132470	E-mail: tsi-india@tsi.com	
China	Tel: +86 10 8260 1595	E-mail: tsibeijing@tsi.com	
Singapore	Tel: +65 6595 6388	E-mail: tsisingapore@tsi.com	

Contact your local TSI Distributor or visit our website www.tsi.com for more detailed specifications.

